

CLAIMS

1           1.     A computer-implemented method of automatically updating television  
2     schedule data for a plurality of serially-scheduled events telecast on the same channel,  
3     each event having a starting time and a duration, the method comprising:

4                 selecting a first one of said events that will extend beyond a scheduled duration  
5     thereof;

6                 identifying a second one of said events as being the last one of a subset of said  
7     events for which starting times will be effected by the overrun of said first event; and

8                 automatically updating schedule information data for each of said subset of  
9     events based upon information about said overrun.

1           2.     The method of claim 1, wherein said second event is identified by  
2     indicating the number of said events, relative to said first event, for which the start times  
3     will be delayed by an amount of time corresponding to said overrun.

1           3.     The method of claim 1, wherein said channel is one of a plurality of  
2     channels, the method further comprising:

3                 selecting said one of said plurality of channels; and

4                 displaying schedule information about a plurality of events being telecast via the  
5     selected channel;

6                 wherein said first event is selected from the plurality of events being displayed.

1           4.     The method of claim 3, wherein for each event, at least the scheduled  
2     starting date, starting time and event name are displayed.

1           5.     The method of claim 4, wherein for each event, at least one of the  
2     duration and the end time are displayed.

1           6.     The method of claim 3, wherein:

2                 a channel schedule for said selected channel is represented by a database of Java  
3     objects, and

4 the displayed schedule information is represented by copies of a subset of said  
5 Java objects from said database.

1 7. The method of claim 6, wherein initially only ones of said copies can be  
2 effected by overrun-related schedule changes until said changes are approved by a user,  
3 then corresponding Java objects in said database are automatically updated and  
4 displayed.

1 8. The method of claim 7, wherein the telecast is a digital terrestrial  
2 television broadcast that is compliant with the American Television Standards  
3 Committee (ATSC), each event is a program, and said schedule data is program and  
4 system information (PSIP) data, the method further comprising:  
5 overwriting, upon approval by a user, PSIP data corresponding to the updated  
6 Java objects.

1 9. The method of claim 8, wherein the overwritten PSIP data is the event  
2 information table (EIT).

1 10. The method of claim 9, wherein at least one of the following fields,  
2 event\_id, start\_time and length\_in\_seconds, of the EIT is overwritten.

1 11. The method of claim 1, wherein said plurality of serially-scheduled events  
2 are each shifted in their entirety such that said second event is also the last one of said  
3 plurality of serially-scheduled events to be shifted in its entirety, or

4 wherein all of said plurality of serially-scheduled events except said second event  
5 are each shifted in their entirety such that said second event is truncated by being the first  
6 one of said plurality of serially-scheduled events to have the starting time thereof delayed  
7 but have the duration thereof truncated so as to preserve a starting time of a event  
8 immediately subsequent to said second event.

1           12.    The method of claim 8, wherein a default is for the second event to be  
2 truncated unless an indication is given that said second event is to be shifted in its  
3 entirety.

1           13.    The method of claim 1, wherein a start time for each of said plurality of  
2 serially-scheduled events is delayed according to said overrun.

1           14.    The method of claim 10, wherein an end time for each of said plurality of  
2 serially-scheduled events except said second event is delayed according to said overrun.

1           15.    The method of claim 11, wherein an end time for said second event also is  
2 delayed according to said overrun.

1           16.    The method of claim 1, wherein the telecast is a digital television  
2 broadcast.

1           17.    The method of claim 16, wherein said digital television broadcast is a  
2 terrestrial broadcast.

1           18.    The method of claim 16, wherein said terrestrial broadcast is compliant  
2 with the American Television Standards Committee (ATSC), each event is a program,  
3 and said schedule data is program and system information (PSIP) data.

1           19.    A computer-readable article of manufacture having embodied thereon a  
2 computer program comprising a plurality of code segments to perform the method of any  
3 one of claims 1.

1           20.    An event and system information (PSIP) generator operable to carry out  
2 the method of any one of claims 1.

1